/MN/ 2-23-10

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"10849571" 10/849571	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:32
L2	197	(Weidong with Zhu) (Guangyao with Xu) (Nengan with Zheng) (Benjamin with Emory) (Chun with Wong)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:35
L3	2774	university with maryland	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:35
L4	2970	1 2 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:45
L5	55683	(determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:46
L6	64	4 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 10:46
L7	1	"20030013541".pn.	US-PGPUB	OR	ON	2010/02/23 10:55
L10	8	10/037701 "10/037701"	US-PGPUB; USPAT; DERWENT	OR	ON	2010/02/23 10:56
L11	2	("6915695").URPN.	USPAT	OR	ON	2010/02/23 10:57

L12	22	("1953916" | "20010027137" | "3992933" | "4122593" | "4169595" | "4517843" | "4558863" | "4682504" | "4958834" | "5040279" | "5379641" | "5429008" | "5478073" | "5515717" | "5520052" | "5771552" | "5870815" | "5976028" | "6183375" | "6250168" | "6415502").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/23 10:57
L13	27	("5520052").URPN.	USPAT	OR	ON	2010/02/23 11:00
L14	13	("3482436" | "3815407" | "4031744" | "4342229" | "4526465" | "4641527" | "4723448" | "4823601" | "4824250" | "4928527" | "5227982" | "5402781").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/23 11:02
L15	3039	1 2 3 7 10 11 12 13 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:05
L16	642	((determin$5 estimat$3 calculat$3 comput$5 evaluat$3) with (stiff stiffness flexural flexibility)) and ((determin$5 estimat$3 calculat$3 comput$5 evaluat$3) with (structure)) and (vibrat$3 with structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:06
L17	4	15 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:06
L18	21	((determin$5 estimat$3 calculat$3 comput$5 evaluat$3) with (stiff stiffness flexural flexibility)) and ((determin$5 estimat$3 calculat$3 comput$5 evaluat$3) with (structure)) and (vibrat$3 with structure) and (perturbat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:08

L19	4	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and ((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (structure)) and (vibrat$3 with structure) and (perturbat$3 with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:12
L20	3	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and ((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (structure)) and (vibrat$3 with structure) and (perturbat$3 with (stiff stiffness flexural flexibility)) and ((damage damag$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:15
L21	768	702/54,56.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:23
L22	2157	73/579.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:23
L23	2865	21 22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:23
L24	117	23 and @pd>="20090422"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:24
L25	2096	702/33-36,41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:28

L26	1291	73/581,584,598,651.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:28
L27	9070	1 2 3 7 10 11 12 13 14 21 22 25 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:29
L28	2022	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:29
L29	76	27 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 11:29
L30	15	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((determin$5 estimat$3 calculat$3 comput $5 evaluat$3) with (damage defect flaw damag$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:18
L31	2	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((determin$5 estimat$3 calculat$3 comput $5 evaluat$3) with (damage defect flaw damag$3) with (location position) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:24
L32	0	(((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((determin$5 estimat$3 calculat$3 comput $5 evaluat$3) with (damage defect flaw damag$3) with (location position) with (stiff stiffness flexural flexibility))). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:24

L33	17	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and (iterat$5 with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:27
L34	385	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((equation formula) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:30
L35	16	(((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((equation formula) with (stiff stiffness flexural flexibility))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:30
L36	9	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and (iterat$5 with (stiff stiffness flexural flexibility)) and ((equation formula) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:32
L37	3	(((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and (iterat$5 with (stiff stiffness flexural flexibility))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:33
L38	16	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and (perturbat$3 with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:38
L39	476	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and ((order second-order) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:39

L40	28	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and iterat$3 and ((order second-order) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:39
L41	7	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and iterat$3 and (((second adj order) second-order) with (stiff stiffness flexural flexibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:42
L42	2	(((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility) with frequency) and iterat$3 and ((order second-order) with (stiff stiffness flexural flexibility))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:43
L43	3312	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and (impact with (device apparatus system unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:47
L44	187	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and (impact with (device apparatus system unit)) and (vibrat$3 with structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:48
L45	192	((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and ((force impact) with (device apparatus system unit)) and (vibrat$3 with structure) and (signal with generat$3) and ((force impact) with (apply $3 exert exert$3 applicat $3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:55
L46	144	45 not(44)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 12:55

| L47 | 4 | (((determin$5 estimat$3 calculat$3 comput$5 evaluat $3) with (stiff stiffness flexural flexibility)) and ((force impact) with (device apparatus system unit)) and (vibrat$3 with structure) and (signal with generat$3) and ((force impact) with (apply $3 exert exert$3 applicat $3))).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/23 13:00 |

2/23/10 1:05:41 PM
C:\ Documents and Settings\ mnghiem\ My Documents\ EAST\ Workspaces\ default.wsp